Author Index

ALBRECHT, G., BIEMELT, S. & BAUMGARTNER, S., Accumulation of fructans following oxygen deficiency stress in related plant species with different flooding tolerances, 137
ANDERSEN, C. P. (see SCAGEL, C. F.), 627
AZCÓN-AGUILAR, C. (see BAGO, B.), 305
BAGO, B., DONAIRE, J. P. & AZCÓN-AGUILAR, C., ATPase activities of root microsomes from mycorrhizal sunflower (*Helianthus annuus*) and onion (*Allium cepa*) plants, 305
BAILEY, D. J. (see GILLIGAN, C. A.), 343
——, GILLIGAN, C. A., Biological control of pathozone behaviour and disease dynamics of *Rhizoctonia solani* by *Trichoderma viride*, 359
BAKER, A. J. M. (see YE, Z. H.), 469, 481
BAND, S. R. (see THOMPSON, K.), 679
BARCELÓ, A. R. (see DÍAZ, J.), 183
BAREA, J. M. (see REQUENA, N.), 667
BARNES, J. D. (see LYONS, T. M.), 503
BATTEN, G. D. (see MCGRATH, V. B.), 145
BAUMGARTNER, S. (see ALBRECHT, G.), 137
BÉGUIRISTAIN, T. & LAPEYRIE, F., Host plant stimulates hypaphorine accumulation in *Pisolithus tinctorius* hyphae during ectomycorrhizal infection while excreted fungal hypaphorine controls root hair development, 525
BIEMELT, S. (see ALBRECHT, G.), 137
BLAKENEY, A. B. (see MCGRATH, V. B.), 145
BODDY, L. (see WELLS, J. M.), 653
BÖHME, H. (see MASEPOHL, B.), 419
BOJE, R. (see WALSBY, A. E.), 407
BOLLER, T. (see ROTH, A.), 73
BONNETT, G. D., SIMS, I. M., SIMPSON, R. J. & CAIRNS, A. J., Structural diversity of fructan in relation to the taxonomy of the Poaceae, 11
——, (see ST. JOHN, J. A.), 39
——, (see CAIRNS, A. J.), 61
BOUCAUD, J. (see MORVAN, A.), 81
BRIX, H. (see SORRELL, B. K.), 433
BRYLA, D. R. & DUNIWAY, J. M., Growth, phosphorus uptake, and water relations of safflower and wheat infected with an arbuscular mycorrhizal fungus, 581
——, DUNIWAY, J. M., Water uptake by safflower and wheat roots infected with arbuscular mycorrhizal fungi, 591
BUCKERIDGE, M. S. (see ITAYA, N. M.), 53
CAIMI, P. G., MCCOLE, L. M., KLEIN, T. M. & HERSHEY, H. P., Cytosolic expression of the *Bacillus amyloliquefaciens SacB* protein inhibits tissue development in transgenic tobacco and potato, 19
CAIRNS, A. J. (see BONNETT, G. D.), 11
——, BONNETT, G. D., GALLAGHER, J. A., SIMPSON, R. J., POLLOCK, C. J., Fructan biosynthesis in excised leaves of *Lolium temulentum*. VII. Sucrose and fructan hydrolysis by a fructan-polymerizing enzyme preparation, 61
CARTER, E. B., THEODOROU, M. K. & MORRIS, P., Responses of *Lotus corniculatus* to environmental change. I. Effects of elevated CO_2, temperature and drought on growth and plant development, 245
CHAKRAVARTHY, D. (see SINGH, S.), 223
CHALLE, G. (see MORVAN, A.), 81
CHATTERTON, N. J. & HARRISON, P. A., Fructan oligomers in *Poa ampla*, 3
DAHLBERG, A. (see KÄRÉN, O.), 313
DARMENCY, H. & GASQUEZ, J., Spontaneous hybridization of the putative ancestors of the allotetraploid *Poa annua*, 497
DAVISON, A. W. (see LYONS, T. M.), 503
DE CÁCERES, F. M. (see DÍAZ, J.), 183
DE ROOS, K. (see TURK, S. C. H. J.), 29
DÍAZ, J., BARCELÓ, A. R. & DE CÁCERES, F. M., Changes in shikimate dehydrogenase and the end products of the shikimate pathway, chlorogenic acid and lignins, during the early development of seedlings of *Capsicum annuum*, 183
DIETRICH, S. M. C. (see MACHADO DE CARVALHO, M. A.), 153
DONAIRE, J. P. (see BAGO, B.), 305
DONNELLY, D. P. (see WELLS, J. M.), 653
DOUDS, D. D. Jr (see NAGAHASHI, G.), 299
DUNIWAY, J. M. (see BRYLA, D. R.), 581, 591
EMMETT, B. A. (see NEWSHAM, K. K.), 287
FARRAR, J. F. (see KOROLEVA, O. A.), 97
FEUERLE, R. (see SCHUBERT, S.), 115
FIGUEIREDO-RIBEIRO, R. C. L. (see ITAYA, N. M.), 53
GALLAGHER, J. A. (see CAIRNS, A. J.), 61
GASQUEZ, J. (see DARMENCY, H.), 497
GILLIGAN, C. A. & BAILEY, D. J., Components of pathozone behaviour, 343
——, (see BAILEY, D. J.), 359
GÖRLITZ, K. (see MASEPOHL, B.), 419
GREENSLADE, P. D. (see NEWSHAM, K. K.), 287
GRIES, C., ROMAGNI, J. G., NASH, T. H. III, KUHN, U. & KESSELMEIER, J., The relation of H_2S release to SO_2 fumigation of lichens, 703
GROOM, P. K. & LAMONT, B. B., Xerophytic implications of increased sclerophylly: interactions with water and light in *Hakea psilorrhyncha* seedlings, 231
HARPER, F. A., SMITH, S. E. & MACNAIR, M. R., Can an increased copper requirement in copper-tolerant *Mimulus guttatus* explain the cost of tolerance?, 455
HARRISON, P. A. (see CHATTERTON, N. J.), 3
HARTUNG, W. (see SCHILLER, P.), 603
HAYES, P. K. (see WALSBY, A. E.), 407
HEATH, M. C. (see ŠKALAMERA, D.), 511
HEILMEIER, H. (see SCHILLER, P.), 603
HERPPICH, M. (see HERPPICH, W. B.), 425
HERPPICH, W. B. & HERPPICH, M., Influence of leaf water content on the C_3–CAM transition in *Mesembryanthemum crystallinum*, 425
HERSHEY, H. P. (see CAIMI, P. G.), 19
HÖGBERG, M. (see TAYLOR, A. F. S.), 713
HÖGBERG, N. (see KÄRÉN, O.), 313
HÖGBERG, P. (see TAYLOR, A. F. S.), 713
HÖGBOM, L. (see TAYLOR, A. F. S.), 713
HUSS-DANELL, K., Tansley Review No. 93. Actinorhizal symbioses and their N_2 fixation, 375
ISHII, H. & TAKEDA, H., Effects of the spatial arrangement of aerial stems and current-year shoots on the demography and growth of *Hydrangea hirta* in a light-limited environment, 443
ITAYA, N. M., BUCKERIDGE, M. S. & FIGUEIREDO-RIBEIRO, R. C. L., Biosynthesis *in vitro* of high-molecular-mass fructan by cell-free extracts from tuberous roots of *Viguiera discolor* (Asteraceae), 53
JACQUOT, J.-P., LANCELIN, J.-M. & MEYER, Y., Tansley Review No. 94. Thioredoxins: structure and function in plant cells, 543
JIBODH, S. (see ŠKALAMERA, D.), 511
JIMENEZ, I. (see REQUENA, N.), 667
JONSSON, L. (see KÄRÉN, O.), 313
KÄRÉN, O., HÖGBERG, N., DAHLBERG, A., JONSSON, L. & NYLUND, J.-E., Inter- and intraspecific variation in the ITS region of rDNA of ectomycorrhizal fungi in Fennoscandia as detected by endonuclease analysis, 313
KARLSSON, P. E., MEDIN, E. L., WALLIN, G., SELLDÉN, G. & SKÄRBY, L., Effects of ozone and drought stress on the physiology and growth of two clones of Norway spruce (*Picea abies*), 265
KELLOMÄKI, S. (see WANG, K.-Y.), 277
KELLY, J. M. (see SAMUELSON, L. J.), 255
KERLEY, S. J. & READ, D. J., The biology of mycorrhiza in the Ericaceae. XIX. Fungal mycelium as a nitrogen source for the ericoid mycorrhizal fungus *Hymenoscyphus ericae* and its host plants, 691
KESSELMEIER, J. (see GRIES, C.), 703
KLEIN, T. M. (see CAIMI, P. G.), 19

KÖLLNER, B. (see MEYER, U.), 645

KOROLEVA, O. A., FARRAR, J. F., TOMOS, A. D. & POLLOCK, C. J., Patterns of solute in individual mesophyll, bundle sheath and epidermal cells of barley leaves induced to accumulate carbohydrate, 97

KRAUSE, G. H. M. (see MEYER, U.), 645

KUHN, U. (see GRIES, C.), 703

LAMONT, B. B. (see GROOM, P. K.), 231

LANCELIN, J.-M. (see JACQUOT, J.-P.), 543

LAPEYRIE, F. (see BÉGUIRISTAIN, T.), 525

LE SAOS, J. (see MORVAN, A.), 81

LOW, M. N. R. (see NEWSHAM, K. K.), 287

LÜSCHER, M. (see ROTH, A.), 73

LYON, A. J. E. (see TAYLOR, A. F. S.), 713

LYONS, T. M., BARNES, J. D. & DAVISON, A. W., Relationships between ozone resistance and climate in European populations of *Plantago major*, 503

MACHADO DE CARVALHO, M. A., ZAIDAN, L. B. P. & DIETRICH, S. M. C., Growth and fructan content of plants of *Vernonia herbacea* (Asteraceae) regenerated from rhizophores, 153

MACNAIR, M. R. (see HARPER, F. A.), 455

MASEPOHL, B., GÖRLITZ, K., MONNERJAHN, U., MOSLER, B. & BÖHME, H., The ferredoxin-encoding *fdxN* gene of the filamentous cyanobacterium *Anabaena variabilis* ATCC 29413 is not essential for nitrogen fixation, 419

MCCOLE, L. M. (see CAIMI, P. G.), 19

MCGEE, P. A. (see PATTINSON, G. S.), 571

MCGRATH, V. B., BLAKENEY, A. B. & BATTEN, G. D., Fructan to nitrogen ratio as an indicator of nutrient stress in wheat crops, 145

MCLEOD, A. R. (see NEWSHAM, K. K.), 287

MEDIN, E. L. (see KARLSSON, P. E.), 265

MEYER, U., KÖLLNER, B., WILLENBRINK, J. & KRAUSE, G. H. M., Physiological changes on agricultural crops induced by different ambient ozone exposure regimes. I. Effects on photosynthesis and assimilate allocation in spring wheat, 645

MEYER, Y. (see JACQUOT, J.-P.), 543

MOLINA, R. (see SIMARD, S. W.), 327

MONNERJAHN, U. (see MASEPOHL, B.), 419

MORRIS, P. (see CARTER, E. B.), 245

MORVAN, A., CHALLE, G., PRUD'HOMME, M.-P., LE SAOS, J. & BOUCAUD, J., Rise of fructan exohydrolase activity in stubble of *Lolium perenne* after defoliation is decreased by uniconazole, an inhibitor of the biosynthesis of gibberellins, 81

MOSLER, B. (see MASEPOHL, B.), 419

MÜLLER, M. & SEYFARTH, W., Purification and substrate specificity of an extracellular fructanhydrolase from *Lactobacillus paracasei* ssp. *paracasei* P 4134, 89

MURPHY, A. & TAIZ, L., Correlation between potassium efflux and copper sensitivity in 10 *Arabidopsis* ecotypes, 211

MURRAY, F. (see QIAO, Z.), 239

NAGAHASHI, G. & DOUDS, D. D. Jr, Appressorium formation by AM fungi on isolated cell walls of carrot roots, 299

NASH, T. H. III (see GRIES, C.), 703

NÄSHOLM, T. (see TAYLOR, A. F. S.), 713

NEUVONEN, S. (see SHEVTSOVA, A.), 613

NEWSHAM, K. K., LOW, M. N. R., MCLEOD, A. R., GREENSLADE, P. D. & EMMETT, B. A., Ultraviolet-B radiation influences the abundance and distribution of phylloplane fungi on pedunculate oak (*Quercus robur*), 287

NYLUND, J.-E. (see KÅRÉN, O.), 313

ONODERA, S. (see SHIOMI, N.), 105

ORR, P. T. (see SORRELL, B. K.), 433

PARKINSON, J. A. (see THOMPSON, K.), 679

PATTINSON, G. S. & MCGEE, P. A., High densities of arbuscular mycorrhizal fungi maintained during long fallows in soils used to grow cotton except when soil is wetted periodically, 571

PERRY, D. A. (see SIMARD, S. W.), 327

POLLOCK, C. J. (see CAIRNS, A. J.), 61

——, (see KOROLEVA, O. A.), 97

PONTIS, H. G. (see PUEBLA, A. F.), 123

PRUD'HOMME, M.-P. (see MORVAN, A.), 81

PUEBLA, A. F., SALERNO, G. L. & PONTIS, H. G., Fructan metabolism in two species of *Bromus* subjected to chilling and water stress, 123

QIAO, Z. & MURRAY, F., The effects of root nitrogen supplies on the absorption of atmospheric NO_2 by soybean leaves, 239

READ, D. J. (see KERLEY, S. J.), 691

REQUENA, N., JIMENEZ, I., TORO, M. & BAREA, J. M., Interactions between plant-growth-promoting rhizobacteria (PGPR), arbuscular mycorrhizal fungi and *Rhizobium* spp. in the rhizosphere of *Anthyllis cytisoides*, a model legume for revegetation in mediterrranean semi-arid ecosystems, 667

ROMAGNI, J. G. (see GRIES, C.), 703

ROTH, A., LÜSCHER, M., SPRENGER, N., BOLLER, T. & WIEMKEN, A., Fructan and fructan-metabolizing enzymes in the growth zone of barley leaves, 73

SAITO, M. (see SOLAIMAN, MD. Z.), 533

SAKAI, H. (see SHIOMI, N.), 105

SALERNO, G. L. (see PUEBLA, A. F.), 123

SAMUELSON, L. J. & KELLY, J. M., Ozone uptake in *Prunus serotina*, *Acer rubrum* and *Quercus rubra* forest trees of different sizes, 255

SCAGEL, C. F. & ANDERSEN, C. P., Seasonal changes in root and soil respiration of ozone-exposed ponderosa pine (*Pinus ponderosa*) grown in different substrates, 627

SCHAT, H. & VOOIJS, R., Multiple tolerance and co-tolerance to heavy metals in *Silene vulgaris*: a co-segregation analysis, 489

SCHILLER, P., HEILMEIER, H. & HARTUNG, W., Abscisic acid (ABA) relations in the aquatic resurrection plant *Chamaegigas intrepidus* under naturally fluctuating environmental conditions, 603

SCHUBERT, S. & FEUERLE, R., Fructan storage in tubers of Jerusalem artichoke: characterization of sink strength, 115

SCOTTI, P. A. (see TURK, S. C. H. J.), 29

SELLDÉN, G. (see KARLSSON, P. E.), 265

SEYFARTH, W. (see MÜLLER, M.), 89

SHEVTSOVA, A. & NEUVONEN, S., Responses of ground vegetation to prolonged simulated acid rain in sub-arctic pine–birch forest, 613

SHIOMI, N., ONODERA, S. & SAKAI, H., Fructo-oligosaccharide content and fructosyltransferase activity during growth of onion bulbs, 105

SIMARD, S. W., PERRY, D. A., SMITH, J. E. & MOLINA, R., Effects of soil trenching on occurrence of ectomycorrhizas on *Pseudotsuga menziesii* seedlings grown in mature forests of *Betula papyrifera* and *Pseudotsuga menziesii*, 327

SIMPSON, R. J. (see BONNETT, G. D.), 11

——, (see ST. JOHN, J. A.), 39

——, (see CAIRNS, A. J.), 61

SIMS, I. M. (see BONNETT, G. D.), 11

——, (see ST. JOHN, J. A.), 39

SINGH, A. K. (see SINGH, S.), 223

SINGH, H. N. (see SINGH, S.), 223

SINGH, S., SINGH, A. K., CHAKRAVARTHY, D., SINGH, T. P. K. & SINGH, H. N., Characteristics of a caesium-resistant (*Cs^+-R*) mutant of the N_2-fixing cyanobacterium *Nostoc muscorum*: dependence on Cs^+ or Rb^+ for normal diazotrophy and osmotolerance, 223

SINGH, T. P. K. (see SINGH, S.), 223

ŠKALAMERA, D., JIBODH, S. & HEATH, M. C., Callose deposition during the interaction between cowpea (*Vigna unguiculata*) and the monokaryotic stage of the cowpea rust fungus (*Uromyces vignae*), 511

SKÄRBY, L. (see KARLSSON, P. E.), 265

SMEEKENS, S. C. M. (see TURK, S. C. H. J.), 29

SMITH, J. E. (see SIMARD, S. W.), 327

SMITH, S. E. (see HARPER, F. A.), 455

SOLAIMAN, MD. Z. & SAITO, M., Use of sugars by intraradical hyphae of arbuscular mycorrhizal fungi revealed by radiorespirometry, 533

SORRELL, B. K., BRIX, H. & ORR, P. T., *Eleocharis sphacelata*: internal gas transport pathways and modelling of aeration by pressurized flow and diffusion, 433

SPENCER, R. E. (see THOMPSON, K.), 679

SPRENGER, N. (see ROTH, A.), 73

STAL, L. J. (see WALSBY, A. E.), 407

ST. JOHN, J. A., SIMS, I. M., BONNETT, G. D. & SIMPSON, R. J., Synthesis of fructans by partially purified fructosyltransferase activities from *Lolium rigidum*, 39

TAIZ, L. (see MURPHY, A.), 211

TAKEDA, H. (see ISHII, H.), 443

TAYLOR, A. F. S., HÖGBOM, L., HÖGBERG, M., LYON, A. J. E., NÄSHOLM, T. & HÖGBERG, P., Natural ^{15}N abundance in fruit bodies of ectomycorrhizal fungi from boreal forests, 713

THEODOROU, M. K. (see CARTER, E. B.), 245

THOMAS, H., Tansley Review No. 92. Chlorophyll: a symptom and a regulator of plastid development, 163
THOMPSON, K., PARKINSON, J. A., BAND, S. R. & SPENCER, R. E., A comparative study of leaf nutrient concentrations in a regional herbaceous flora, 679
TILLBERG, J.-E. (see WANG, C.), 131
TOMOS, A. D. (see KOROLEVA, O. A.), 97
TORO, M. (see REQUENA, N.), 667
TURK, S. C. H. J., DE ROOS, K., SCOTTI, P. A., VAN DUN, K., WEISBEEK, P. & SMEEKENS, S. C. M., The vacuolar sorting domain of sporamin transports GUS, but not levansucrase, to the plant vacuole, 29
VAN DUN, K. (see TURK, S. C. H. J.), 29
VOOIJS, R. (see SCHAT, H.), 489
WALLIN, G. (see KARLSSON, P. E.), 265
WALSBY, A. E., Numerical integration of phytoplankton photosynthesis through time and depth in a water column, 189
——, HAYES, P. K., BOJE, R., STAL, L. J., The selective advantage of buoyancy provided by gas vesicles for planktonic cyanobacteria in the Baltic Sea, 407
WANG, C. & TILLBERG, J.-E., Effects of short-term phosphorus deficiency on carbohydrate storage in sink and source leaves of barley (*Hordeum vulgare*), 131
WANG, K.-Y. & KELLOMÄKI, S., Effects of elevated CO_2 and soil–nitrogen supply on chlorophyll fluorescence and gas exchange in Scots pine, based on a branch-in-bag experiment, 277
WEISBEEK, P. (see TURK, S. C. H. J.), 29
WELLS, J. M., DONNELLY, D. P. & BODDY, L., Patch formation and developmental polarity in mycelial cord systems of *Phanerochaete velutina* on a nutrient-depleted soil, 653
WIEMKEN, A. (see ROTH, A.), 73
WILLENBRINK, J. (see MEYER, U.), 645
WILLIS, A. J. (see YE, Z. H.), 469, 481
WONG, M. H. (see YE, Z. H.), 469, 481
YE, Z. H., BAKER, A. J. M., WONG, M. H. & WILLIS, A. J., Zinc, lead and cadmium tolerance, uptake and accumulation by *Typha latifolia*, 469
——, BAKER, A. J. M., WONG, M. H., WILLIS, A. J., Copper and nickel uptake, accumulation and tolerance in *Typha latifolia* with and without iron plaque on the root surface, 481
ZAIDAN, L. B. P. (see MACHADO DE CARVALHO, M. A.), 153

Subject Index

Abscisic acid, 603
Absorption of nitrogen dioxide, 239
Acer rubrum, 255
Acid rain, 613
Allium cepa, 105, 305
Allotetraploid, 497
AM fungi, 571
Anabaena sp., 419
AOT40, 265
Aphanizomenon sp., 189, 407
Appressorium formation, 299
Arabidopsis, 211
Arbuscular mycorrhizal fungi, 533, 581, 591
Arbuscular mycorrhizas, 305, 667
Assimilate allocation, 645
Asteraceae, 153
ATPase, 305
Aureobasidium pullulans, 287
Aveneae, 11
Bacterial-type ferredoxin, 419
Baltic Sea, 407
Betula papyrifera (paper birch), 327
Biotroph, 511
Boreal forest, 713
Branch-in-bag experiment, 277
Bromus, 123
Bundle sheath, 97
Callose, 511
Calvin cycle, 543
CAM, 425
Capsicum annuum, 183
Carbon isotope composition, 231
Carthamus tinctorius (safflower), 581, 591
Cell expansion, 115
Cell walls (purified), 299
Cerrado vegetation, 153
Chamaegigas intrepidus, 603
Chitin, 691
Chlorogenic acid, 183
Chlorophyll *a* and *b*, 163
Chlorophyll biosynthesis, 163
Chlorophyll fluorescence, 277
Chlorophyll–protein complexes, 163
Chloroplast, 543
Δ-citrate and Δ-malate, 425
Climate change, 245
CO_2 elevation and additional soil–nitrogen supply, 277
Cold stress, 123
Cold temperature, 3
Constitutional metal tolerance, 469
Cooling, 97
Copper efficiency, 455
Copper sensitivity, 211
Copper uptake, 481
Co-segregation, 489
Cost of tolerance, 455
Cotton, 571
Critical level, 265
Critical levels, 503
Cs^+/Rb^+ requirement, 223
Cs^+-resistance, 223
Cyanobacteria, 189, 223, 407
Cytosolic expression, 19
Defoliation, 81
Degree of tolerance, 455
Demography, 443
Desiccation, 603
Detoxification, 703
Developmental polarity, 653
Developmental stage, 645
Dose–response relationship, 645
Drought, 581, 591
Drought stress, 265
Drought tolerance, 231
Ecological genetics, 455
Ectomycorrhiza, 313, 327, 525
Ectomycorrhizal fungi, 713
Eleocharis sphacelata, 433
Empetrum nigrum, 613
Environmental effects, 375
Epidemiology, 343, 359
Epidermis, 97
Eucalyptus globulus, 525
Euphotic depth, 189
Evolution of resistance, 503
55-kb *fdxN* DNA element, 419
Ferredoxin, 543
Flooding, 137
Flooding avoidance, 433
Fractal dimension, 653
Frankia, 375
Fructan, 3, 11, 19, 39, 73, 89, 97, 115, 123, 131, 137, 145, 153
Fructan biosynthesis, 53
Fructan exohydrolase (FEH), 81
Fructan hydrolase, 89
Fructan:fructan fructosyltransferase (FFT), 39
Fructan-metabolizing enzymes, 73
Fructans, 29
Fructo-oligosaccharides, 105
Fructose polymers, 53
Fructosyltransferase, 19, 53, 105
Gas vesicles, 407
Genetics, 489
Gibberellins, 81
Glucose metabolism, 533
Ground vegetation, 613
Growth, 443
Growth development, 245
Growth rate, 679
Growth zone, 73
GUS, 29
Heathland soil, 691
Heavy metal uptake, 469
Helianthus annuus, 305
Helianthus tuberosus L. (Jerusalem artichoke), 115
Herbivory, 443
Heterocysts, 419
Hordeum vulgare (barley), 73, 131
Host, 299
Hydrangea hirta, 443
Hydrogen sulphide, 703
Hypaphorine, 525
IAA, 525
Identification, 313
Image analysis, 653
Infection dynamics, 343, 359
Inhibitors, 511
Interspecific cross, 497
Intra-clonal competition, 443
Intraradical hyphae, 533
Invertase, 61
Iron plaque, 481
Isozymes, 497
Lactobacillus paracasei, 89
Land use, 679
Leaf density, 231
Leaf water content, 425
Levan, 3, 61
Levansucrase, 29
Lichens, 703
Lignins, 183
Linkage disequilibrium, 455
Lolium perenne, 81
Lolium rigidum, 39

Long fallows, 571
Lotus corniculatus, 245
Membrane permeability, 211
Mesembryanthemum crystallinum, 425
Mesophyll, 97
Metal tolerance, 481, 489
Microbial respiration, 627
Microsomes, 305
Mineral nutrients, 679
Modelling, 343, 359
Monokaryon, 511
Mycelial cords, 653
Mycelium, 691
Mycorrhiza, 691
Myosotis palustris/M. arvensis, 137
$\delta^{15}N$, 713
N_2 fixation, 223, 375
Native species, 503
Near infra-red spectroscopy, 145
Neosugar, 61
Net photosynthesis, 255
Nickel uptake, 481
NifB-fdxN-nifS-nifU operon, 419
Nitrogen, 145, 713
Nitrogen mobilization, 691
Nitrogen supply, 239
Nodules, 375
Non-host, 299
Non-structural carbohydrate, 145
O_3, 627
Oligofructans, 61
Oligomers, 3
Organ development, 183
Osmotolerance, 223
Oxygen, 375, 433
Oxygen deficiency, 137
Ozone, 265, 503, 645
Ozone dose, 255
Partitioning, 73
PEPC activity, 425
PGPR, 667
pH, 603, 679
Phleum pratense (Timothy), 89
Phosphorus, 653
Phosphorus deficiency, 131
Photosynthesis, 277, 327
Photosynthesis daily integral, 189
Phylloplane yeasts and filamentous fungi, 287
Phylogeny, 679
Phytoplankton (Baltic Sea), 189
Phytoplankton buoyancy, 407
Picea abies (L.) Karst., 265
Pinus sylvestris, 277
Pisolithus tinctorius, 525
Plant water relations, 581
Plantago major, 503
Plastids, 163
Poa annua, 497
Poaceae, 11
Poeae, 11
Ponderosa pine, 627
Population scaling, 359
Potassium transport, 211
Prunus serotina, 255
Pseudotsuga menziesii (Douglas fir), 327
Purification, 89
Quercus robur, 287
Quercus rubra, 255
Radiorespirometry, 533
Redox regulation, 543
Resistance, 511
Respiration, 433
Respiration quotient, 627
Resurrection plant, 603
Revegetation, 667
Rhizobium, 667
Rhizosphere, 343, 359
Rhizospheric interactions, 667
Ribosomal DNA, 313
Root respiration, 627
SacB, 19
Sclerophylly, 231
Senecio aquaticus/S. jacobaea, 137
Shikimic acid and shikimate dehydrogenase, 183
Silene vulgaris, 489
Sink and source leaves, 131
Soil trenching, 327
Source–sink relations, 115
Soybean, 239
Species, 313
Sporamin, 29
Sporobolomyces roseus, 287
6-SST, 3
Stable isotopes, 713
Starch, 131
Sub-arctic ecosystem, 613
Sucrose, 61, 97, 123, 131
Sucrose:sucrose fructosyltransferase (SST), 39, 81
Sulphur dioxide, 703
Survival, 571
Tetrapyrroles, 163
Thioredoxin, 543
Tissue water relations, 231
Transgenic plants, 19
Triticum aestivum (wheat), 581, 591, 645
Tuber growth, 115
Turnover and catabolism, 163
Typha latifolia, 469, 481
Ultraviolet-B (u.v.-B) and ultraviolet-A (u.v.-A) radiation, 287
Underground organs, 153
Vaccinium vitis-idaea, 613
Vacuolar protein sorting, 29
Variation, 313
Ventilation, 433
Vernonia herbacea, 153
Viguiera discolor, 53
Water stress, 123
Water uptake, 591
Wheat, 145